Chemistry and Physics of Lipids 79 (1996) 195-196

## Volume contents

## Volume 79 (1996)

G.A. Lawrie, P.B. Schneider, B.J. Battersby, G.T. Barnes, H.K. Cammenga (Queensland, Australia; Braunschweig, Germany) Spreading properties of dimyristoyl phosphatidylcholine at the air/water	
P.R. Redden, X. Lin, D.F. Horrobin (Nova Scotia, Canada) Comparison of the Grignard deacylation TLC	]
and HPLC methods and high resolution 13C-NMR for the sn-2 positional analysis of triacylglycerols	1111
containing γ-linolenic acid	,
permethrin on membrane fluidity	21
and 1-alkylglycerophosphocholine acetyltransferase activities in stimulated alveolar macrophates by	20
HPLC analysis of NBD-labeled ether lipids	29
self-initiated autoxidation of linoleate micelles	39
of arachidonic acid	47
M. Jemiola-Rzeminska, J. Kruk, M. Skowronek, K. Strzalka (Kraków, Poland) Location of ubiquinone homologues in liposome membranes studied by fluorescence anisotropy of diphenyl-hexatriene and	
trimethylammonium-diphenyl-hexatriene	55
in sphingomyelin-water gel phases	65
JP. Rolland, C. Santaella, P. Vierling (Nice, France) Molecular packing of highly fluorinated phosphatidylcholines in monolayers	71
K.D. Black, F.D. Gunstone (St. Andrews, UK) Friedel-Crafts alkylation of benzene and toluene with olefinic C <sub>6</sub> hydrocarbons and esters	79
K.D. Black, F.D. Gunstone (St. Andrews, UK) The Friedel-Crafts adducts of methyl oleate with benzene	
w. Jira, G. Spiteller (Bayreuth, Germany) Plasmalogens and their oxidative degradation products in low	87
and high density lipoprotein	95
ity of lipases in supercritical carbon dioxide. I. Dependence of the regio- and enantioselectivity of porcine	
pancreas lipase on the water content during the hydrolysis of triolein and its partial glycerides  A. Abousalham, M.G. Ivanova, I. Douchet, R. Verger (Marseille, France; Sofia, Bulgaria) A new method	101
for determining phospholipase D activity using the monomolecular film technique	107
acids by injury of mammalian cells	113

F. van Bambeke, MP. Mingeot-Leclercq, R. Brasseur, P.M. Tulkens, A. Schanck (Brussels, Gembloux, Louvain-La-Neuve, Belgium) Aminoglycoside antibiotics prevent the formation of non-bilayer structures in negatively-charged membranes. Comparative studies using fusogenic (bis(β-diethylamino-	
ethylether)hexestrol) and aggregating (spermine) agents	123
L. Cantù, M. Corti, E. Del Favero, E. Digirolamo, S. Sonnino, G. Tettamanti (Milan, Pavia, Italy) Experimental evidence of a temperature-related conformational change of the hydrophilic portion of	
gangliosides	137
M. Kummrow, W. Helfrich (Berlin, Germany) Collapse of giant phosphatidylcholine vesicles Z.Y. Chen, P.T. Chang, K.Y. Ho, K.P. Fung, J. Wang (Shatin, Hong Kong) Antioxidant activity of	147
natural flavonoids is governed by number and location of their aromatic hydroxyl groups	157
L. Zarif, A. Polidori, B. Pucci, T. Gulik-Krzywicki, A.A. Pavia, J.G. Riess (Cedex, Avignon, France)	
Effect of chirality on the formation of tubules from glycolipidic amphiphiles	165
R. Bartucci, S. Belsito, L. Sportelli (Arcaracata di Rende, Italy) Neutral lipid bilayers interacting with	
chaotropic anions	171
Short Communication	
D. Caruso, M.F. Rasetti, L. De Angelis, G. Galli (Milan, Italy) Identification of 3β-hydroxy-5α-cholest-	
6-ene-5-hydroperoxide in human oxidized LDL	181
Book review	187
Author index—Volume 79	189
Subject index—Volume 79	191
C	105

